

TECHNICAL DATA SHEET FOR WEBBING SLINGS (SAFETY FACTOR 7:1)

Basket

lift

Choker lift

80 %

100 %

45° - 60°

Description:

Webbing Slings are manufactured as per the European Norm, EN 1492-1 with a safety factor of 7:1. The colour and the number of black lines on the webbing indicate the Safe Working Load (SWL) of the sling. The width of the webbing is specified in inches. Slings can be manufacture to any length as per the customer's requirement.

Lifting Modes

Straight

lift

Webbing (with black lines) Safety factor 7:1

Ref.	SWL / WLL	Width	Colour	SWL / WLL in kg at different modes				
IE1	1 T	1"	VIOLET	1000	2000	1400	800	1000
IE2	2 T	2"	GREEN	2000	4000	2800	1600	2000
IE3	3 T	3"	YELLOW	3000	6000	4200	2400	3000
IE4	4 T	4"	GREY	4000	8000	5600	3200	4000
IE5	5 T	5"	RED	5000	10000	7000	4000	5000
IE6	6 T	6"	BROWN	6000	12000	8400	4800	6000
IE8	8 T	8"	BLUE	8000	16000	11200	6400	8000
IE10	10 T	10"	ORANGE	10000	20000	14000	8000	10000
IE12	12 T	12"	ORANGE	12000	24000	16800	9600	12000



SLINGS PARAMETER									
SI. No.	Description	Colour	Minimum length of sling		Thickness	Minimum BS (Kgs)	Length of Eye (minimum)		
1	1" Sling (SF7)	Violet	1.0m	or e	6 - 7mm	7000	25cm		
2	2" Sling (SF7)	Green	1.0m	o 50m c Please	6 - 7mm	14000	30cm		
3	3"Sling (SF7)	Yellow	1.2m		6 - 7mm	21000	35cm		
4	4"Sling (SF7)	Grey	1.5m	ith up to e cases. with us.	6 - 7mm	28000	45cm		
5	5"Sling (SF7)	Red	1.5m		6 - 7mm	35000	50cm		
6	6"Sling (SF7)	Brown	2.0m	m leng n some check	6.5 - 7.5mm	42000	55cm		
7	8"Sling (SF7)	Blue	2.0m	in c	6.5 - 7.5mm	56000	70cm		
8	10"Sling (SF7)	Orange	2.5m	Maximum more in	6.5 - 7.5mm	70000	80cm		
9	12"Sling (SF7)	Orange	3.0m	Mc	6.5 - 7.5mm	84000	90cm		

_		9.080						
	GENERAL FEATURES FOR ALL WEBBING							
1	The webbing is woven wholly from high tenacity multi filament polyester yarn.							
2	The tenacity of the yarn is equal to or more than 60 cN/tex.							
3	The webbing is weaved with multiple piles and uniformly woven.							
4	The webbing is coloured as per the above requirements.							
5	Elongation of the webbing is less than 7% at 1/3 of breaking strength.							
6	Number of picks is 44 +/- 4 picks per 10cm of the webbing.							