

**Portable Spill Kit(Chemical Only)****SKIT001Y**

Comply with the regulations of EPA 40 CFR 264.175 of EPA and SPCC as well as U.S. NPDES.

**Spill Kits**

*SYSBEL Spill Kits is suitable for fast, efficient and professional treatment of spills.*

*If spill or leakage occurs, you have to race against time to handle it, SYSBEL professional- Emergency Treatment Package will help you! There is always a right model for you!*

**Portable Spill Kit**

*Carring flexible, suitable for small leaking.*

**Portable Spill Kit**

Spill Capacity (Gal/L) : 11.5/43.5

25 pcs 50cm×40cm absorbent pad, 6 pcs 7.6cm×120cm absorbent sock, 1 pc hazamat disposal bags, 1 pc rope, 1 pair of Ra×-9202 safety goggles, 1 pair of safety gloves, 1 pc user manual, weight(Kgs.):2.75



## Use Guiding of Spill Emergency Treatment Equipments

### 1. Spill Sources and Risk Judgments

Look for spill source and determine the hazards of the materials: assess the risks of leakage based on chemical labels and MSDS of the spilled materials (including flammable, explosive, reactive and toxic, etc).



### 2. Personal Protective Equipment (PPE) Arrangements

In spill treatment site, you should wear necessary personal protective equipment (including protective clothing, respirators, gloves, glasses, chemical boots, etc.). If you cannot determine the source of spilled material, you need to consider the possibility of the occurrence of the most serious consequences, to arrange the PPE for the serious consequence, so as to safely deal with spills.



### 3. Spill Prevention and Control

Control the spill, by closing or restricting valves, or taking appropriate measures. If container spills occur, it is noted that the container should be kept in an upright position.



### 4. Spill Treatment

Assess the level of spill. After spill area is controlled, use appropriate SYSBEL spill kits in a timely manner. The absorbent pads in the package are for small-scale spill; Socks can absorb spill, overlapping circle is for controlling leakage range, socks and pillows can be used to deal with large-scale leakage. The absorbent materials or hazardous materials after treatment should be properly transferred to the chemical-proof disposal bag or accidental release SYSBEL overpack salvage drum. As required by the local regulations, they will be transferred to the professional waste disposal facility for special treatment.



### 5. Pollution Elimination

Clean personal protective equipment to prevent secondary pollution.



### 6. Spill Treatment Report

Prepare the treatment report of spills, and report to upper-level management.

